

Canaletas
SOURCE OF LIFE




Series 71D & 31D

Series 7ID & 3ID

Point of use (POU) water coolers

Mechanically operated, long lasting and easy to install

Superior quality, made entirely of stainless steel, a 100% recyclable, only requires water supply and electrical connection



Model: M-77ID

Series 7ID

Ideal cooler for any business or public environment. Very convenient.

Mechanically operated with high reliability and exceptional durability. Easy to use. Stainless steel coil, direct chill cooling system; high efficiency and hygienic. Easily regulated cold water temperature (thermostat). With wheels to facilitate movement. Easy to remove high capacity drip-tray.

Models

M-77ID

- Tap: cold water
- Tap: room temperature water
- GAC Filter: Carbon block filter included.



Accessories

CUP DISPENSER

Made entirely from stainless steel. Vertical column design. High capacity: 95 x 220ml cups. Can be attached to POU water coolers or to the wall. Viewing slot to see remaining cups in order to replace in time.

WATER FILTERS

Improve water quality. Explore different filtration options: Activated carbon, Sediment, Ultraviolet.



Series 3ID

Small tabletop water cooler, designed for consultation rooms, offices, meeting rooms, kitchens, etc.

With a compact design, to be placed on any surface. Stainless steel coil, direct chill cooling system; high efficiency and hygienic.

Model

M-33ID

- Tap: cold water
- Tap: room temperature water


Technical data

	Series 7ID	Series 3ID
Cooling power (W)	205	186
Power consumption (W)	100	110
Voltage 230V 50Hz single-phase (A) (Other options available)	0.5	0.6
Continuous cooling capacity (Room temp.: 30°C, In temp.: 27°C, Out temp.: 17°C) (l/h)	18	16
Cup filling time (sec.)	4	4
Water output temperature (regulated by thermostat) (°C)	4-11	4-11
Hot water tank capacity	1,2	-
Stainless steel coil cooling system (Direct chill)	Yes	Yes
Refrigerant gas (CFC-free)	R290*	R-134a
Dimensions (mm). Height x Diameter	1145 x 310	-
Dimensions (mm). Height x Width xDepth	-	400 x 263 x 265
Net weight (kg)	18	14

*R-290 is a natural refrigerant with no ozone impact. It offers high efficiency and reduces energy consumption.



98/83/EC



Canaletas
SOURCE OF LIFE

HEADQUARTERS AND FACTORY

Ronda de Llevant, 10
08820 El Prat de Llobregat
Barcelona (Spain)
T. +34 934 358 546

INTERNET

www.canaletas.com
www.canaletas.es
info@canaletas.es