

Canaletas
SOURCE OF LIFE




AquaVanguard

Hands-free drinking fountains

Hygienic, high-capacity solution for filling bottles

Superior quality, made entirely of stainless steel, a 100% recyclable and highly durable material



Internal chassis
WARRANTY

AquaVanguard

The integrated dispensing area offers a robust, elegant and practical solution to fill different type of bottles. With sensor or pedal.

High cooling capacity to fill bottles and eliminate the use of plastic cups. Flat top plate enables bottles to stand properly. Fully integrated faucet in the dispensing area. Hidden water jet for optimal hygienic protection. Large and robust stainless steel pedal/s or sensor for bottle detection and illumination. Designed for intensive and demanding use, ideal for high traffic areas and multi-use environments. Water outlet quantity in sensor-operated models is time limited for safety. Easily regulated cold water temperature (thermostat).

Models

A-88 2PE

- Pedal: cold water
- Pedal: room temperature water
- Both pedals simultaneously: mixed water



A-8PE

Pedal: cold water




A-88 2OP

Sensor: cold water
Sensor: room temperature water



A-8OP

Sensor: cold water



HYGIENIC FAUCET DESIGN

Faucet hidden inside.
Water jet separated from faucet walls.
Difficult to reach with fingers.



WATER FILTERS

Improve water quality.
Explore different filtration options:
Activated carbon, Sediment, Ultraviolet (UV) or RO (Reverse Osmosis).


Technical data

Cooling power (W)	700
Power consumption (W)	230
Voltage 230V 50Hz single-phase (A) (Other options available)	1.1
Cooling capacity in continuous (Room temp.: 30°C, T in: 27°C, T out: 17°C) (l/h)	60
Water output speed (l/h)	360
Cold water output temperature (Regulated by thermostat) (°C)	4-11
Water tank capacity (l) (Optional: Stainless steel coil. Direct chill)	7.5
Refrigerant gas (CFC-free)	R290*
Dimensions (mm). Height x Width x Depth.	1503 x 350 x 350
Net weight (kg)	37

*R-290 is a natural refrigerant with no ozone impact. It offers high efficiency and reduces energy consumption.



98/83/EC



Canaletas
SOURCE OF LIFE

HEADQUARTERS AND FACTORY

Ronda de Llevant, 10
08820 El Prat de Llobregat
Barcelona (Spain)
T. +34 934 358 546

INTERNET

www.canaletas.com
www.canaletas.es
info@canaletas.es