



Hands-free drinking fountains

Hygienic and vandal resistant solution for filling bottles.

Superior quality, made entirely from stainless steel, including the internal chassis.





The integrated dispensing area offers a robust, elegant and practical solution to fill different type of bottles. With sensor or pedal.

High cooling capacity to fill bottles and eliminate the use of plastic cups. Flat top plate enables bottles to stand properly. Fully integrated faucet in the dispensing area. Hidden water jet for optimal hygienic protection. Large and robust stainless steel pedal/s. Sensor for bottle detection and illumination. Vandal resistant allen screws. For safety reasons the top plate can not be removed. Water outlet quantity is time limited for safety. Easily regulated cold water temperature (thermostat).

Models

A-80P

Sensor: cold water




Sensor: cold water Sensor: room temperature water




Pedal: cold water

Pedal: room temperature water

Both pedals simultaneously: mixed water







Hygienic faucet design

Water jet separated from faucet walls. Difficult to reach with fingers. With silver nanoparticles covering.

Accessories



PURIFICATION FILTERS

It is recommended to install a purifiying filter to obtain water in optimal conditions Different options available: Activated carbon, Ultrafiltration or Direct osmosis.

Technical data

A-88 2PE

Pedal: cold water

	Technical data	
	Cooling Power (W)	600
	Power consumption (W)	230
	Voltage 230V 50Hz single-phase (A) (Consult other options)	1.1
	Cooling capacity (Room temp.: 30°C, Input temp.: 27°C, Output temp.: 17°C) (I/h)	50
	Water output speed (I/h)	360
	Cold water output temperature (Regulated by thermostat) (°C)	4-11
	Water tank capacity (I) (Opcional: Stainless steel coil. Direct chill)	7.5
	Refrigerant gas (CFC-free)	R-134a
	Dimensions (mm). Height x Width x Depth.	1503 x 350 x 350
	Net weight (kg)	37

















HEADQUARTERS AND FACTORY

Ronda de Llevant, 10 08820 El Prat de Llobregat Barcelona (Spain) T. +34 934 358 546 F. +34 934 350 604

INTERNET

www.canaletas.es www.canaletas.com infox@canaletas.es